

HEATLIGHT TECHNOLOGY

HLP4500

The 4500 model has three long 1.5 KW Glare Control Powerslim lamps, fitted into three individual cassettes.


Lamps emit short wave infrared heat ideal for optimizing drying of waterborne paints.

This flexible system allows each cassette to be adjusted and locked into position around the contours of the vehicle body, ensuring maximum area coverage.

Height adjustment is made using the high performance locking gas strut, offering a near weightless movement to the cassette support arm.

Product features include

- 750mm 1.5Kw High output GC Powerslim short wave tubes fitted to each cassette.
- Long lamp/emitter life with an average of 6000hours. Typically 4 – 5 years continuous professional use.
- Specially designed electronic power and time control, offering 0 - 100% heat instantly through twin 30 minute timers on both the Flash and Bake settings.
- Robust steel constructed stable frame, fitted with rear wheel locking castors.
- Maintenance free cassettes with no fan or filter changes.
- Easy height adjustment by locking gas strut.
- Individually switched cassettes.
- Horizontal or vertical cassette operation.



Minimum operating distance:- 600mm

Area coverage:- 1000mm x 1250mm

Max vertical curing height:- 2150mm

Max horizontal curing height:- 1800mm

Average curing specification

Filler / Stopper:- 4 – 6 minutes

Primer:- 6 – 8 minutes

Top coat:- 10 – 12 minutes

Electrical specification

220/240 Volt 4.5KW 50Hz single phase 18.75amps

380/415 Volt 4.5KW 50Hz 3 phase 6.25amps / phase

HeatLight Technology

Salamander Quay, Harefield

Middx UB9 6NZ UK

Tel: +44 (0) 1895 821821

www.heatlight.com

Email - sales@heatlight.com



Distributed by